

Material Safety Data Sheet

MSDS

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Chemical Name:

MSDS No.

Date of Preparation:

Revision #

Section 1 – Chemical Product and Company Identification

Product / Chemical Name:
Manufacturer's Name:
Address
Chemical Formula:
CAS Number:
Synonyms:
Derivation:
General Use:
Vendors:

Emergency Telephone Number:

Telephone Number for Information


Date Prepared

Section 2 – Composition / Information on Ingredients

Hazardous Components (Specific Chemical Identity; Common Names(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
--	----------	-----------	--------------------------	--------------

Section 3 – Hazards Identification

☆☆☆☆☆ **Emergency Overview** ☆☆☆☆☆



Potential Health Effects

Primary Entry Routes:

Target Organs

Acute Effects:

Inhalation

Eye

Skin

Ingestion

Carcinogenicity

Medical Conditions Aggravated by Long-Term Exposure

Chronic Effects

Section 4 – First Aid Measures

Inhalation

Eye Contact

Skin Contact

Ingestion

Note to Physician:

Section 5 – Fire-Fighting Measures

Flash Point: lowest temperature at which a flammable liquid gives off enough vapor form an ignitable mixture with air. At a glance you can tell from a low flash point that a material represent a fire hazard: for example, the flash point of gasoline is -43 degrees C (-45 degrees F).

Autoignition Temperature: tells you how hot a material must be before it will set itself on fire without a flame or spark.

LEL: Lower Explosive Limit – the lowest concentration at which a chemical's vapors will cause an explosion.

Concentrations below the LEL are considered "too lean"

UEL: Upper Explosive Limit – the maximum concentration at which a chemical's vapor will cause an explosion.

Concentrations greater than the UEL are considered "too rich"

Flammable Limits: details about the minimum and maximum concentrations of vapors, so you can prevent fires.

Generally concentrations that are greater than the LEL but less than the UEL

Extinguishing Media: which extinguishing material to use (water, foam, fog, carbon dioxide, dry chemical, etc.)

Unusual Fire or Explosion Hazards: any special conditions or precautions concerning fire and explosion that are unique to the chemical

Hazardous Combustion Products:

Fire-Fighting Instructions: Special procedures that are recommended during fire fighting.

Fire-Fighting Equipment: Special equipment or safeguards that are recommended during fire fighting.

Section 6 – Accidental Release Measures

Spill / Leak Procedures:

Small Spills:

Large Spills:

Containment:

Cleanup:

Regulatory Requirements:

Section 7 – Handling and Storage

Handling Precautions:

Storage Requirements:

Regulatory Requirements:

Section 8 – Exposure Controls / Personal Protection

Engineering Controls

Ventilation:

Administrative Controls:

Respiratory Protection:

Protective Clothing / Equipment:

Contaminated Equipment:

Section 9 – Physical and Chemical Properties

Physical State:

Appearance and Odor:

Odor Threshold:

Vapor Pressure:

Saturated Vapor Density (Air=120 kg/m³, 0.075 lb/ft³):

Formula Weight:

Specific Gravity (H₂O=1, at 4 degrees C):

Octanol/Water Partition Coefficient:

Henry's Law Constant (H)

Water Solubility:

Other Solubilities

Boiling Point:

Freezing Point:

Viscosity:

Refractive Index:

Surface Tension:

% Volatile:

Evaporation Rate (n-BuAc=1):

Ionization Potential

Section 10 – Stability and Reactivity

Stability – how likely it is that a chemical will decompose, creating a dangerous situation. If the material is unstable, the MSDS lists the conditions that would create a hazardous product.

Incompatibility – lists the materials to avoid with the chemical to prevent a hazardous reaction. (i.e. acid and bases)

Hazardous Decomposition Or Byproducts – conditions and materials that can cause a chemical to break down and become a hazard or what may be produced when the chemical reacts with other substances. These include temperature extremes, ignition sources, and other chemicals. Sometimes, the product of a reaction is far more hazardous than the chemical itself.

Hazardous Polymerization – large amounts of energy may be released when 2 or smaller molecules combine. If this is a danger, the MSDS lists the conditions that can lead to it.

Section 11 – Toxicological Information

Acute Effects:

Multiple Dose Toxicity Data:

Acute Inhalation Effects:

*See NIOSH, RTECS () for additional toxicity data

Section 12 – Ecological Information

Ecotoxicity:

Environmental Fate:

Environmental Degradation:

Soil Absorption / Mobility:

Section 13 – Disposal Considerations

Disposal:

Section 14 – Transport Information

Shipping Name:
Shipping Symbols:
Hazard Class:

ID No:
Packing Group:
Label:

Special Provisions (172.102):

DOT Transportation Data (49 CFR
172.101)

Packaging Authorizations

- a) Exceptions:
- b) Non-bulk Packaging:
- c) Bulk Packaging:

Quantity Limitations:

- a) Passenger Aircraft, or Railcar:
- b) Cargo Aircraft Only:

Vessel Stowage Requirements

- a) Vessel Stowage
- b) Other

Section 15 – Regulatory Information

EPA Regulations:

Toxic/Flammable Substance Subject to Accidental Release Prevention (40 CFR 68.130):
RCRA Hazardous Waste Number (40 CFR 261.33):
Classified as a RCRA Hazardous Waste (40 CFR 261.21):
CERCLA Hazardous Substance (40 CFR 302.4):
CERCLA Reportable Quantity (RQ):
SARA 311/312 Codes:
SARA Toxic Chemical (40 CFR 372.65):
SARA EHS (Extremely Hazardous Substance) (40 CFR 355):

OSHA Regulations:

Other Regulations:

Section 16 – Other Information

Additional Comments:

References:

Prepared by:
Industrial Hygiene Review:
Medical Review

Disclaimer: Judgments as to the suitability of information herein for the purchaser's purposes are necessarily the purchaser's responsibility. Although reasonable care has been taken in the preparation of such information, XYZ Publishing Company, extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the purchaser's intended purpose or for consequences of its use.